


Start Stopp

CNG



SK700-II

SK700-II CNG

Dispensing solution for
Compressed Natural Gas

- Flexible and versatile
- Multiple configurable options
- Maximum security
- Industry leading accuracy



SK700-II CNG

Maximize your forecourt space with our compact and most flexible solution for compressed natural gas



Why consider CNG for your forecourt?

The EU aims to drive down harmful emissions by up to 60% in 2050 and are rolling out initiatives for cleaner mobility such as the use of alternative fuels like CNG. To date, there are over a million CNG vehicles across Europe. Adding CNG to your forecourt will increase your visibility to these drivers via online maps and apps – maximising your overall profitability.

The industry's most flexible and versatile dispensing solution for CNG. It is compact in size, easily configured to suit various applications and safely combined with other fuel grades.



Flexible and versatile

- Standalone with lane or island orientated fuelling position
- Combine with up to four grades
- Compatible for Biomethane use



Maximum security

- Knock-down protection system
- Multiple shut-down options
- Audio response for guidance



Multiple configurable options


- Suitable for both car and bus applications
- Fitted for either 250 or 300 bar inlet pressure
- Up to four CNG hoses



Industry leading accuracy and efficiency

- Coriolis type mass meter with modbus function
- Temperature compensated filling procedure

Product Specification



SK700-II CNG Standalone

SK700-II CNG Combi

SK700-II CNG Twin

SK700-II CNG IOD

Features

Temperature compensated filling procedure

250 or 300 bar inlet pressure

External and internal sequencing

Up to 4 CNG hoses (double hose column)

Ambient temperature range: -20°C to +40°C

Approvals: ATEX, PED, PTB, NMI, LNE

Compliance with EN ISO 16923

Biogas compatible

Versions

Standalone single hose column

Standalone double hose column

Combined with other fuels: CNG, plus up to four grades

Options

Safety device to avoid CNG escape, after an accident

Remote monitoring interface

SK700-II standard options

Various add-ons and options including compatible solutions for other alternative fuels

Electronics and Mechanical

Gilbarco Calculator

Interface: 2-wire, IFSF, ATCL, PUMA LAN, ER3

Housing: Powder coated steel, stainless steel (optional)

Nozzles: NGV1 and NGV2

Applause Europe compatible Multimedia Dispenser Screen



- **Integrated screen**
Transaction and media content on a single screen
- **Increase your revenue**
Advertising space for promoting high margin products
- **Engage with your customers**
Rich media supported: sound, video, images, etc.

Fuelling the future, today.

Our experience and expertise in the alternative fuelling industry means we understand a forecourt's business and consumer needs better than anybody. Gilbarco Veeder-Root stands for quality, innovation and seamless integration.

To find out more about how you could grow your business with our industry leading dispensing solutions, speak to your relationship manager or visit www.gilbarco.com/eu



Email: euenquiries@gilbarco.com

Website: www.gilbarco.com/eu

