



Industrie Service

Certificate No. **VR2 – 1907 – 158 EU**

The TÜV SÜD Industrie Service GmbH, test body for vapor recovery systems,  
Westendstr. 199, D-80686 Munich,



certifies having conducted tests according to EN 16321-1  
on the following petrol vapour recovery system:

Type of system:	<b>Active, distributed system with electronic proportional valve</b>
Nozzle:	<b>OPW 21</b>
Hose assembly:	<b>ELAFLEX Slimline 21/8</b>
Proportional valve:	<b>ASCO EMXX</b>
Control board	<b>Tokheim ECVR OL</b>
Vapour recovery pump:	<b>Dürr MEX 0544</b>

Conditions for installation and operation:  
*Requirements to ensure system performance in use*

Maximum volumetric fuel-flow rate:	<b>38 l/min</b>	
Maximum back pressure in petrol vapour pump outlet line with maximum vapour flow:	<b>50 mbar</b>	
Correction factor for system settings with simulated petrol-flow of 38 l/min.:	<b>1,12</b>	
Measured efficiency:	<b>89 %</b>	
<i>Required efficiency by Directive 2009/126/EC</i>	<b>85 %</b>	
Average result of each test tank:		
VW Golf VI: <b>86,5 %</b>	VW Polo V: <b>88,2 %</b>	Renault Megane 3: <b>91,7 %</b>

Based on ID: "Efficiency 1907 OPW Type 21", "System 1907 - 158 EU"  
The vapour recovery system corresponds to the state of the art as defined in the  
"Directive 2009/126/EC" last amended by "Directive 2014/99/EU".

Germany, Munich, 18/11/2019

Valid for Installation until  
17/11/2021



Test Body for Vapor Recovery Systems

*Peter Szalata*  
Peter Szalata